



PARISER INDUSTRIES, INC.

91 MICHIGAN AVENUE, PATERSON, NJ 07503

(973) 569-9090

FACSIMILE (973) 569-9101

www.pariserchem.com

NEUTREX #256

DESCRIPTION

NEUTREX #256™ is a ½ ounce per gallon, one-step, phosphate-free, neutral pH formulation designed to provide effective cleaning, deodorizing, and disinfection for hospitals, nursing homes, schools, food service establishments/processing plants, and athletic/recreation facilities, where housekeeping is of prime importance in controlling cross-contamination.

APPLICATION

When used as directed, Neutrex #256 is effective against a broad spectrum of bacteria, is virucidal, and inhibits the growth of mold and mildew and their odors. Product will disinfect hard, non-porous, inanimate, environmental surfaces: floors, walls, metal surfaces, stainless steel, glazed porcelain, glazed ceramic tile, plastics, vanities, showers, and general bathroom cabinetry.

USAGE DIRECTIONS

See product label for specific usage as disinfectant/virucide/mildewcide/fungicide.

ACTIVITY

Virucidal Activity- At the ½ ounce per gallon dilution, **Neutrex #256** is effective against HIV Type 1 and 2, Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Type 1, (causative agent fever blisters), Herpes Simplex Type 2 (genital disease), Influenza A2/Hong Kong, Vaccina, Rotavirus, Human Coronavirus, Rabies Virus, Bovine Viral Diarrhea (BVDV), Pseudorabies, Bovine Rhinotracheitis, Feline Leukemia, Feline Picornavirus, and Canine Distemper Virus, and Avian Influenza A Virus.

KILLS HIV-1, HIV-2, HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOODY/BODY FLUIDS

Bactericidal Activity- At the ½ ounce per gallon dilution, **Neutrex #256** demonstrates effective disinfectant activity against the organisms: Pseudomonas aeruginosa PRD-10, Salmonella enterica, Staphylococcus aureus (clinical isolate), Bordetella bronchiseptica, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterobacter cloacae, Enterococcus faecalis, Escherichia coli, Fusobacterium necrophorum, Klebsiella pneumoniae subsp. Pneumoniae, Lactobacillus casei subsp. Rhamnosus, Listeria monocytogenes, Pasteurella multocida, Proteus vulgaris, Proteus mirabilis ATCC 9921 and ATCC 25933,

Bactericidal Activity (Continued) – Salmonella choleraesuis subsp. Choleraesuis serotype paratyphi B, Salmonella choleraesuis subsp. Choleraesuis serotype typhi, Salmonella choleraesuis subsp. Choleraesuis serotype typhimurium, Salmonella choleraesuis subsp. Choleraesuis serotype pullorum, Serratia marcescens, Shigella sonnei, Shigella flexneri Type 2b, Shigella dysenteriae, Staphylococcus aureus subsp. Aureus, Staphylococcus epidermidis, Streptococcus pyogenes (Clinical-Flesh Eating Strain BIRD M3) Streptococcus pyogenes Group A, Xanthomonas Maltophilia (clinical isolate), Vancomycin resistant Enterococcus faecalis (VRE) (ATCC 51575), Methicillin resistant Staphylococcus aureus (MRSA), Vancomycin intermediate resistant Staphylococcus aureus (VISA), Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA) NRS 123 Genotype USA400, Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA) NRS 384 Genotype USA300.

Fungicidal Activity- At the ½ ounce per gallon dilution, **Neutrex #256** is fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (Athletes Foot Fungus) (a cause of ringworm) and Candida albicans.

PACKAGING

Neutrex #256 is packaged in 4 x 1 gallon cases, and in 5 gallon pails

CAUTION

Keep Out of Reach of Children. Have the product container or label with you when calling a poison control center or doctor, or when going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN--Probable mucosal damage may contraindicate the use of gastric lavage.

